



Using `outreg2` to report regression output, descriptive statistics, frequencies and basic crosstabulations

(v. 1.6)

Oscar Torres-Reyna

otorres@princeton.edu

Linear regression

The command `outreg2` gives you the type of presentation you see in academic papers. It is important to notice that `outreg2` is not a Stata command, it is a user-written procedure, and you need to install it by typing (only the first time)

```
ssc install outreg2
```

Follow this example (letters in italics you type)

```
use "http://dss.princeton.edu/training/Panel101.dta", clear  
reg y x1, robust  
outreg2 using myreg.doc, replace ctitle(Model 1)
```

VARIABLES	(1) Model 1
x1	4.950e+08 (6.902e+08)
Constant	1.524e+09** (6.636e+08)
Observations	70
R-squared	0.006

Robust standard errors in parentheses
*** p<0.01, ** p<0.05, * p<0.1

```
. outreg2 using myreg.doc, replace ctitle(Model 1)
```

```
myreg.doc  
dir : seeout
```



Windows users click here to open the file `myreg.doc` in Word (you can replace this name with your own). Otherwise follow the Mac instructions.

Mac users click here to go to the directory where `myreg.doc` is saved, open it with Word (you can replace this name with your own)

You can add other model (using variable `x2`) by using the option `append` (NOTE: make sure to close `myreg.doc`)

```
reg y x1 x2, robust  
outreg2 using myreg.doc, append ctitle(Model 2)
```

VARIABLES	(1) Model 1	(2) Model 2
x1	4.950e+08 (6.902e+08)	5.513e+08 (6.869e+08)
x2		3.808e+07 (2.478e+08)
Constant	1.524e+09** (6.636e+08)	1.483e+09** (6.595e+08)
Observations	70	70
R-squared	0.006	0.006

Robust standard errors in parentheses
*** p<0.01, ** p<0.05, * p<0.1

```
. outreg2 using myreg.doc, append ctitle(Model 2)
```

```
myreg.doc  
dir : seeout
```

You also have the option to export to Excel, just use the extension `*.xls`.

For older versions of `outreg2`, you may need to specify the option `word` or `excel` (after comma)

Linear regression: showing variable labels instead of variable names

The command `outreg2` gives you the type of presentation you see in academic papers. It is important to notice that `outreg2` is not a Stata command, it is a user-written procedure, and you need to install it by typing (only the first time)

```
ssc install outreg2
```

Follow this example (letters in italics you type)

```
use "http://dss.princeton.edu/training/Panel101.dta", clear
reg y x1, robust
outreg2 using myreg.doc, replace ctitle(Model 1) label
```

```
. outreg2 using myreg.doc, replace ctitle(Model 1)
```

```
myreg.doc
dir : seeout
```



Windows users click here to open the file `myreg.doc` in Word (you can replace this name with your own). Otherwise follow the Mac instructions.

Mac users click here to go to the directory where `myreg.doc` is saved, open it with Word (you can replace this name with your own)

You can add other model (using variable `x2`) by using the option `append` (NOTE: make sure to close `myreg.doc`)

```
reg y x1 x2, robust
outreg2 using myreg.doc, append ctitle(Model 2) label
```

```
. outreg2 using myreg.doc, append ctitle(Model 2)
```

```
myreg.doc
dir : seeout
```

You also have the option to export to Excel, just use the extension `*.xls`.

For older versions of `outreg2`, you may need to specify the option `word` or `excel` (after comma)

NOTE: Other options for `label`: `label(insert)`; `label(proper)`; `label(upper)`; `label(lower)`



VARIABLES	(1) y
Predictor x1	4.950e+08 (6.902e+08)
Constant	1.524e+09** (6.636e+08)
Observations	70
R-squared	0.006

Robust standard errors in parentheses
*** p<0.01, ** p<0.05, * p<0.1



VARIABLES	(1) y	(2) y
Predictor x1	4.950e+08 (6.902e+08)	5.513e+08 (6.869e+08)
Predictor x2		3.808e+07 (2.478e+08)
Constant	1.524e+09** (6.636e+08)	1.483e+09** (6.595e+08)
Observations	70	70
R-squared	0.006	0.006

Robust standard errors in parentheses
*** p<0.01, ** p<0.05, * p<0.1

Fixed effects regression

Letters in italics you type

```
use "http://dss.princeton.edu/training/Panel101.dta", clear
xtreg y x1 x2 x3, fe robust
outreg2 using myreg.doc, replace ctitle(Fixed Effects) addtext(Country FE, YES)
```

```
. outreg2 using myreg.doc, replace ctitle(Fixed Effects) addtext(Country FE, YES)
```

myreg.doc
dir : seeout



Windows users click here to open the file `myreg.doc` in Word (you can replace this name with your own) . Otherwise follow the Mac instructions.

Mac users click here to go to the directory where `myreg.doc` is saved, open it with Word (you can replace this name with your own)

You also have the option to export to Excel, just use the extension `*.xls`.

For older versions of `outreg2`, you may need to specify the option `word` or `excel` (after comma)

In fixed effects models you do not have to add the FE coefficients, you can just add a note indicating that the model includes fixed effects. This can be added from `outreg2`, see the option `addtext()` above.



VARIABLES	(1) Fixed Effects
x1	2.425e+09 (1.458e+09)
x2	1.823e+09* (9.109e+08)
x3	3.097e+08 (2.380e+08)
Constant	-2.060e+08 (1.095e+09)
Observations	70
Number of country	7
R-squared	0.101
Country FE	YES

Robust standard errors in parentheses
*** p<0.01, ** p<0.05, * p<0.1

Fixed effects with time fixed effects

Letters in italics you type

```
use "http://dss.princeton.edu/training/Panel101.dta", clear
xtreg y x1 x2 x3 i.year, fe robust
outreg2 using myreg.doc, replace ctitle(Fixed Effects) keep(x1 x2 x3) addtext(Country FE, YES, Year FE, YES)
```

```
. outreg2 using myreg.doc, replace ctitle(Fixed Effects) addtext(Country FE, YES)
myreg.doc
dir : seeout
```

Windows users click here to open the file `myreg.doc` in Word (you can replace this name with your own). Otherwise follow the Mac instructions.

Mac users click here to go to the directory where `myreg.doc` is saved, open it with Word (you can replace this name with your own)

You also have the option to export to Excel, just use the extension `*.xls`.
For older versions of `outreg2`, you may need to specify the option `word` or `excel` (after comma)

In fixed effects models you do not have to add the FE coefficients, you can just add a note indicating that the model includes fixed effects. This can be added from `outreg2`, see the option `addtext()` above.



VARIABLES	(1) Fixed Effects
x1	1.632e+09 (1.492e+09)
x2	1.263e+09 (1.275e+09)
x3	5.396e+08*** (1.343e+08)
Constant	-9.256e+08 (1.068e+09)
Observations	70
Number of country	7
R-squared	0.268
Country FE	YES
Year FE	YES

Robust standard errors in parentheses
*** p<0.01, ** p<0.05, * p<0.1

Comparing different linear models

Letters in italics you type

```
use "http://dss.princeton.edu/training/Panel101.dta", clear
xtset country year
reg y x1 x2 x3, robust
outreg2 using myreg.doc, replace ctitle(OLS)
xtreg y x1 x2 x3, fe robust
outreg2 using myreg.doc, append ctitle(Fixed Effects) addtext(Country FE, YES)
xtreg y x1 x2 x3 i.year, fe robust
outreg2 using myreg.doc, append ctitle(Fixed Effects) keep(x1 x2 x3) addtext(Country FE, YES, Year FE, YES)
```

```
. outreg2 using myreg.doc, append ctitle(Fixed Effects) keep(x1 x2 x3) addtext(Country FE, Y
> ES, Year FE, YES)
```

myreg.doc
dir : seeout

Windows users click here to open the file myreg.doc in Word (you can replace this name with your own) . Otherwise follow the Mac instructions.

Mac users click here to go to the directory where myreg.doc is saved, open it with Word (you can replace this name with your own)



VARIABLES	(1) OLS	(2) Fixed Effects	(3) Fixed Effects
x1	5.591e+08 (6.933e+08)	2.425e+09 (1.458e+09)	1.632e+09 (1.492e+09)
x2	8.745e+07 (3.007e+08)	1.823e+09* (9.109e+08)	1.263e+09 (1.275e+09)
x3	9.262e+07 (2.096e+08)	3.097e+08 (2.380e+08)	5.396e+08*** (1.343e+08)
Constant	1.401e+09* (7.556e+08)	-2.060e+08 (1.095e+09)	-9.256e+08 (1.068e+09)
Observations	70	70	70
R-squared	0.008	0.101	0.268
Number of country		7	7
Country FE		YES	YES
Year FE			YES

Robust standard errors in parentheses
*** p<0.01, ** p<0.05, * p<0.1

Regression: publishing logit/probit output (outreg2)

You can use `outreg2` for almost any regression output (linear or no linear). In the case of logit models with odds ratios, you need to add the option `eform`, see below

```
use "http://dss.princeton.edu/training/Panell101.dta", clear
```

```
logit y_bin x1
```

```
outreg2 using mymod.doc, replace ctitle(Logit coeff)
```

```
. outreg2 using mymod.doc, replace ctitle(Logit coeff)
  mymod.doc
  dir : seeout
```

```
logit y_bin x1, or
```

```
outreg2 using mymod.doc, append ctitle(Odds ratio) eform
```

```
. outreg2 using mymod.doc, append ctitle(Odds ratio) eform
  mymod.doc
  dir : seeout
```

Windows users click here to open the file `mymod.doc` in Word (you can replace this name with your own). Otherwise follow the Mac instructions.

Mac users click here to go to the directory where `mymod.doc` is saved, open it with Word (you can replace this name with your own)



EQUATION	VARIABLES	(1) Logit coeff	(2) Odds ratio
y_bin	x1	0.493 (0.645)	1.637 (1.055)
	Constant	1.082** (0.482)	2.952** (1.422)
Observations		70	70

Standard errors in parentheses
*** p<0.01, ** p<0.05, * p<0.1

For more details/options and examples type
`help outreg2`

Regression: publishing regression output (outreg2)

For predicted probabilities and marginal effects, see the following document

<http://dss.princeton.edu/training/Margins.pdf>

Using `outreg2` for summary statistics: all variables in dataset

```
sysuse auto, clear  
outreg2 using x.doc, replace sum(log)
```

```
. outreg2 using x.doc, replace sum(log)
```

Variable	Obs	Mean	Std. Dev.	Min	Max
price	74	6165.257	2949.496	3291	15906
mpg	74	21.2973	5.785503	12	41
rep78	69	3.405797	.9899323	1	5
headroom	74	2.993243	.8459948	1.5	5
trunk	74	13.75676	4.277404	5	23
weight	74	3019.459	777.1936	1760	4840
length	74	187.9324	22.26634	142	233
turn	74	39.64865	4.399354	31	51
displacement	74	197.2973	91.83722	79	425
gear_ratio	74	3.014865	.4562871	2.19	3.89
foreign	74	.2972973	.4601885	0	1

Following variable is string, not included:

```
make  
x.doc  
dir : seeout
```



Mac users click here to go to the directory where `x.doc` is saved, open it with Word (you can replace this name with your own)

Windows users click here to open the file `x.doc` in Word (you can replace this name with your own). Otherwise follow the Mac instructions.



VARIABLES	(1) N	(2) mean	(3) sd	(4) min	(5) max
price	74	6,165	2,949	3,291	15,906
mpg	74	21.30	5.786	12	41
rep78	69	3.406	0.990	1	5
headroom	74	2.993	0.846	1.500	5
trunk	74	13.76	4.277	5	23
weight	74	3,019	777.2	1,760	4,840
length	74	187.9	22.27	142	233
turn	74	39.65	4.399	31	51
displacement	74	197.3	91.84	79	425
gear_ratio	74	3.015	0.456	2.190	3.890
foreign	74	0.297	0.460	0	1

Using `outreg2` for summary statistics: selected variables

```
sysuse auto, clear
outreg2 using x.doc, replace sum(log) keep(price mpg turn)
```

```
. outreg2 using x.doc, replace sum(log) keep(price mpg turn)
```

Variable	Obs	Mean	Std. Dev.	Min	Max
price	74	6165.257	2949.496	3291	15906
mpg	74	21.2973	5.785503	12	41
rep78	69	3.405797	.9899323	1	5
headroom	74	2.993243	.8459948	1.5	5
trunk	74	13.75676	4.277404	5	23
weight	74	3019.459	777.1936	1760	4840
length	74	187.9324	22.26634	142	233
turn	74	39.64865	4.399354	31	51
displacement	74	197.2973	91.83722	79	425
gear_ratio	74	3.014865	.4562871	2.19	3.89
foreign	74	.2972973	.4601885	0	1

Following variable is string, not included:

```
make
x.doc
dir : seeout
```

Windows users click here to open the file `x.doc` in Word (you can replace this name with your own). Otherwise follow the Mac instructions.



Mac users click here to go to the directory where `x.doc` is saved, open it with Word (you can replace this name with your own)



VARIABLES	(1) N	(2) mean	(3) sd	(4) min	(5) max
price	74	6,165	2,949	3,291	15,906
mpg	74	21.30	5.786	12	41
turn	74	39.65	4.399	31	51

Using `outreg2` for summary statistics: selected variables in dataset and selected statistics

```
sysuse auto, clear
```

```
outreg2 using x.doc, replace sum(log) keep(price mpg turn) eqkeep(N mean)
```

```
. outreg2 using x.doc, replace sum(log) keep(price mpg turn) eqkeep(N mean)
```

Variable	Obs	Mean	Std. Dev.	Min	Max
price	74	6165.257	2949.496	3291	15906
mpg	74	21.2973	5.785503	12	41
rep78	69	3.405797	.9899323	1	5
headroom	74	2.993243	.8459948	1.5	5
trunk	74	13.75676	4.277404	5	23
weight	74	3019.459	777.1936	1760	4840
length	74	187.9324	22.26634	142	233
turn	74	39.64865	4.399354	31	51
displacement	74	197.2973	91.83722	79	425
gear_ratio	74	3.014865	.4562871	2.19	3.89
foreign	74	.2972973	.4601885	0	1

	(1)	(2)
VARIABLES	N	mean
price	74	6,165
mpg	74	21.30
turn	74	39.65

Following variable is string, not included:

```
make
x.doc
dir : seeout
```

Windows users click here to open the file `x.doc` in Word (you can replace this name with your own) . Otherwise follow the Mac instructions.



Mac users click here to go to the directory where `x.doc` is saved, open it with Word (you can replace this name with your own)



Using `outreg2` for summary statistics: selected variables in dataset and detail statistics

*NOTE: The option `sum(detail)` will give all the summary statistics shown below for the selected variables but it will show in the output window results for all the variables in the dataset. This is similar to typing `summarize, detail`

```
sysuse auto, clear
```

```
set more off
```

```
outreg2 using x.doc, replace sum(detail) keep(price mpg turn)
```

Following variable is string, not included:

`make`

`x.doc`
`dir : seeout`

Windows users click here to open the file `x.doc` in Word (you can replace this name with your own) . Otherwise follow the Mac instructions.



Mac users click here to go to the directory where `x.doc` is saved, open it with Word (you can replace this name with your own)



VARIABLES	(1) N	(2) mean	(3) sd	(4) min	(5) max	(6) sum_w	(7) Var	(8) skewness	(9) kurtosis	(10) sum	(11) p1	(12) p5	(13) p10	(14) p25	(15) p50	(16) p75	(17) p90	(18) p95	(19) p99
price	74	6,165	2,949	3,291	15,906	74	8.700e+06	1.653	4.819	456,229	3,291	3,748	3,895	4,195	5,007	6,342	11,385	13,466	15,906
mpg	74	21.30	5.786	12	41	74	33.47	0.949	3.975	1,576	12	14	14	18	20	25	29	34	41
turn	74	39.65	4.399	31	51	74	19.35	0.124	2.229	2,934	31	33	34	36	40	43	45	46	51

Using `outreg2` for summary statistics: selected variables in dataset and selected detail statistics

*NOTE: The option `sum(detail)` will give all the summary statistics shown below for the selected variables but it will show in the output window results for all the variables in the dataset. This is similar to typing `summarize, detail`

* The option `p50` gives the median

```
sysuse auto, clear
```

```
set more off
```

```
outreg2 using x.doc, replace sum(detail) keep(price mpg turn) eqkeep(N mean p50)
```

Following variable is string, not included:

```
make
```

```
x.doc
```

```
dir : seeout
```

Windows users click here to open the file `x.doc` in Word (you can replace this name with your own) . Otherwise follow the Mac instructions.



Mac users click here to go to the directory where `x.doc` is saved, open it with Word (you can replace this name with your own)



	(1)	(2)	(3)
VARIA	N	mean	p50
BLES			
price	74	6,165	5,007
mpg	74	21.30	20
turn	74	39.65	40

Using `outreg2` for summary statistics: by group, selected variables in dataset and detail statistics

*NOTE: You need to specify either keeping statistics (`eqkeep`) and dropping variables (`drop`) or viceversa. You can't specify `eqkeep()` and `keep()` at the same time

```
sysuse auto, clear
```

```
set more off
```

```
bysort foreign: outreg2 using x.doc, replace sum(log) eqkeep(N mean) drop(make rep78  
headroom trunk weight length displacement gear_ratio)
```

Following variable is string, not included:

```
make
```

```
x.doc
```

```
dir : seeout
```

Windows users click here to open the file `x.doc` in Word (you can replace this name with your own) . Otherwise follow the Mac instructions.



Mac users click here to go to the directory where `x.doc` is saved, open it with Word (you can replace this name with your own)



	(1) foreign 0	(2) mean	(3) foreign 1	(4) mean
VARIABLES	N	mean	N	mean
price	52	6,072	22	6,385
mpg	52	19.83	22	24.77
turn	52	41.44	22	35.41

Using outreg2 for frequencies

```
sysuse auto, clear  
outreg2 foreign using x.doc, replace cross
```

```
. outreg2 mileage foreign using x.doc, replace cross  
x.doc  
dir : seeout
```

Windows users click here to open the file x.doc in Word (you can replace this name with your own). Otherwise follow the Mac instructions.

Mac users click here to go to the directory where x.doc is saved, open it with Word (you can replace this name with your own)



		(1)
foreign	Freq (Percent)	
0	52 (70.27)	
1	22 (29.73)	
Total	74	

For more details on what are frequencies and how to interpret the table see: <http://dss.princeton.edu/training/StataTutorial.pdf>

Using outreg2 for crosstabs

*Taken from outreg2's help file. It can report only column percents.

```
sysuse auto, clear
egen mileage=cut(mpg), group(10)
outreg2 mileage foreign using x.doc, replace cross
```

```
. outreg2 mileage foreign using x.doc, replace cross
x.doc ← Windows users click here to open the file x.doc in Word (you
dir : seeout ← can replace this name with your own) . Otherwise follow the
↑ Mac instructions.
Mac users click here to go to the directory where x.doc is saved, open it
with Word (you can replace this name with your own)
```

NOTE: If you add the option `side` (after `cross`) it will put all values in columns.

For more details on what are crosstabs and how to interpret the table see: <http://dss.princeton.edu/training/StataTutorial.pdf>

mileage	(1) foreign 0 Freq (Percent)	(2) foreign 1 Freq (Percent)
0	2 (3.846)	
1	11 (21.15)	1 (4.545)
2	2 (3.846)	2 (9.091)
3	7 (13.46)	2 (9.091)
4	8 (15.38)	
5	6 (11.54)	2 (9.091)
6	5 (9.615)	3 (13.64)
7	3 (5.769)	1 (4.545)
8	5 (9.615)	6 (27.27)
9	3 (5.769)	5 (22.73)
Total	52	22